

# TankJet® 30473

## FLUID DRIVEN TANK CLEANING NOZZLE

Rotating Miniature PTFE Nozzles  
Rinse Small Containers

### Features and Benefits

- The reactionary force of cleaning liquid rotates the nozzle – no motor required
- Features a rotating spray head that can be easily removed from the body for inspection and maintenance
- Long wear life – PTFE resists aggressive cleaning liquids
- Fits into tank openings as small as 1" (25 mm)
- Lightweight – weighs only 0.5 oz. (0.02 kg)

### Specifications

<b>Max. tank dia.:</b>	8' (2.4 m)
<b>Flow rate range:</b>	2.1 to 4.5 gpm (7.8 to 18 l/min)
<b>Pressure range:</b>	10 to 50 psi (0.7 to 4 bar)
<b>Max. operating temperature:</b>	200°F (93°C)
<b>Min. tank opening size:</b>	1" (25 mm)
<b>Spray coverage:</b>	Approx. 360°, 180° up, 180° down
<b>Inlet conn.:</b>	1/4" NPT or BSPT (M)

### Performance Data

Nozzle No.	Capacity gpm (l/min)				
	10 psi (0.7 bar)	20 psi (1.5 bar)	30 psi (2 bar)	40 psi (3 bar)	50 psi (4 bar)
30473-1/4-TEF	2.1 (7.8)	2.9 (11.3)	3.5 (13)	4.0 (15)	4.5 (18)

### Ordering Information

#### TankJet 30473 Tank Cleaning Nozzle

30473	E	-	1/4	-	TEF
I Nozzle Type	I Coverage Type		I Inlet Conn.		I Material Code

Add B prior to the inlet connection for BSPT connections.

0211




### Ideal for Cleaning:


- Chemical containers
- Cylinders
- Ducts
- Pipes

**TankJet 30473**  
tank cleaning nozzle for  
tanks up to 8' (2.4 m) in dia.

### Spray Coverage



### Dimensions and Weights



Nozzle No.	A	B Dia.	Weight
30473	1-3/4" (44.4 mm)	7/8" (22.3 mm)	0.5 oz. (0.02 kg)

Catalog 15 - 30473

